
Icon List with Tabs Template

Version 4

Published 1/4/2021 11:59 PM by Grace Kamau Last updated 7/1/2021 04:47 PM by Grace Kamau

Create an tabbed icon list template for the Content List Widget . The Content List widget is great for keeping everyone in your community updated on recent articles, upcoming events, key discussions, and more.



Add Template

1. Click the gear icon > **Control Panel** > **System** > **Page Builder Templates**.
2. Click **Add a new template**.
3. Enter *Icon List with Tabs* as the **Template name**.
4. Select **Content List** as the **Widget Type**.
5. Select **Content List** as the **Widget Sub Type**.
6. In **Resource Keys CSV**, enter the following list.

```
ArticleDefaultText,HomePageBlogsText,ITDefaultText,ForumPostForumText,EventDefaultText,GlobalCFIdeaText,FileHeaderText,PhotoAlbumHeaderH2Text,VideoDefaultHeaderText,HomePageWikiText
```

7. In the editor, paste the following code.

```
<div class="axero-widget axero-widget-entity-icon-list axero-widget-icon-list-with-tabs {{CustomCSSClass}} {{#if HideContainerBorder}}axero-widget-no-border{{/if}}" id="icon-tabs-{{WidgetID}}">
    {{#if ShowWidgetHeader}}
    <div class="axero-widget-header">
        <h3>{{{WidgetTitle}}}</h3>
    </div>
    {{/if}}
    <div class="nav-container">
        <ul class="nav nav-tabs">
            <li class="active"><a href="#icon-list-tabs-articles" id="icon-list-tab-articles" data-toggle="tab" >{{Resources.ArticleDefaultText}}</a></li>
            <li><a href="#icon-list-tabs-blogs" id="icon-list-tab-blogs" data-toggle="tab" >{{Resources.HomePageBlogsText}}</a></li>
            <li><a href="#icon-list-tabs-cases" id="icon-list-tab-cases" data-toggle="tab" >{{Resources.ITDefaultText}}</a></li>
            <li><a href="#icon-list-tabs-discussions" id="icon-list-tab-discussions" data-toggle="tab" >{{Resources.ForumPostForumText}}</a></li>
            <li><a href="#icon-list-tabs-events" id="icon-list-tab-events" data-toggle="tab" >{{Resources.EventDefaultText}}</a></li>
            <li><a href="#icon-list-tabs-files" id="icon-list-tab-files" data-toggle="tab" >{{Resources.FileHeaderText}}</a></li>
            <li><a href="#icon-list-tabs-ideas" id="icon-list-tab-ideas" data-toggle="tab" >{{Resources.GlobalCFIdeaText}}</a></li>
            <li><a href="#icon-list-tabs-photos" id="icon-list-tab-photos" data-toggle="tab" >{{Resources.PhotoAlbumHeaderH2Text}}</a></li>
            <li><a href="#icon-list-tabs-videos" id="icon-list-tab-videos" data-toggle="tab" >{{Resources.VideoDefaultHeaderText}}</a></li>
            <li><a href="#icon-list-tabs-wikis" id="icon-list-tab-wikis" data-toggle="tab" >{{Resources.HomePageWikiText}}</a></li>
        </ul>
    </div>
    <div class="axero-widget-content axero-widget-content-padded tab-content">
        <div class="tab-pane active" id="icon-list-tabs-articles">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Article")}}hide{{/if}}'>
                    <div class="entity-icon">
               <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-blogs">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Blog")}}hide{{/if}}'>
                    <div class="entity-icon">
               <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-cases">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Issue")}}hide{{/if}}'>
                    <div class="entity-icon">
               <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-discussions">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "ForumTopic")}}hide{{/if}}'>
                    <div class="entity-icon">
               <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
```

```
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-events">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Event")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-files">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "File")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-files">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "File")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-ideas">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Idea")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-photos">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Photo")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-videos">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Video")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
        <div class="tab-pane" id="icon-list-tabs-wikis">
            <ul>

                {{#each Contents}}
                <li class='{{#if (compare EntityType "!=" "Wiki")}}hide{{/if}}'>
                    <div class="entity-icon">
                <i class="{{EntityIconCssClass}}"></i>
        </div>
                    <div class="entity-title">
                        <a title="{{{Title}}}" href="{{ContentURL}}">{{{Title}}}</a>
                    </div>
                </li>
                {{/each}}

            </ul>
        </div>
    </div>
    {{#if ShowWidgetFooter}}
    <div class="axero-widget-footer">
  {{{FooterHTML}}}

    </div>
    {{/if}}
</div>
```

```
<script>
var myString = "#icon-tabs-" + {{WidgetID}};
//If articles are hidden, click the first visible tab
if ($(myString).hasClass("no-articles")) {
    if ($(myString).hasClass("no-blogs")) {
        if ($(myString).hasClass("no-cases")) {
            if ($(myString).hasClass("no-discussions")) {
                if ($(myString).hasClass("no-events")) {
                    if ($(myString).hasClass("no-files")) {
                        if ($(myString).hasClass("no-ideas")) {
                            if ($(myString).hasClass("no-photos")) {
                                if ($(myString).hasClass("no-videos")) {
                                    if ($(myString).hasClass("no-wikis")) {

                                    }
                                    else $("#icon-list-tab-wikis").click();
                                }
                                else $("#icon-list-tab-videos").click();
                            }
                            else $("#icon-list-tab-photos").click();
                        }
                        else $("#icon-list-tab-ideas").click();
                    }
                    else $("#icon-list-tab-files").click();
                }
                else $("#icon-list-tab-events").click();
            }
            else $("#icon-list-tab-discussions").click();
        }
        else $("#icon-list-tab-cases").click();
    }
    else $("#icon-list-tab-blogs").click();
}
</script>
```

8. Click **Save Template**.

Add CSS Overrides

1. Click **System** > **CSS Overrides**.
2. Add the following code, at the bottom.

```
/*Styles for the Icon List with Tabs template*/
.axero-widget-icon-list-with-tabs .nav-container {margin: 10px 0 0 10px;}
.axero-widget-icon-list-with-tabs .nav-container ul.nav-tabs {border-bottom: none;}
.axero-widget-icon-list-with-tabs .nav-container ul.nav-tabs li {padding-bottom:0px;}
.axero-widget-icon-list-with-tabs.no-articles #icon-list-tab-articles {display:none;}
.axero-widget-icon-list-with-tabs.no-blogs #icon-list-tab-blogs {display:none;}
.axero-widget-icon-list-with-tabs.no-cases #icon-list-tab-cases {display:none;}
.axero-widget-icon-list-with-tabs.no-discussions #icon-list-tab-discussions {display:none;}
.axero-widget-icon-list-with-tabs.no-events #icon-list-tab-events {display:none;}
.axero-widget-icon-list-with-tabs.no-ideas #icon-list-tab-ideas {display:none;}
.axero-widget-icon-list-with-tabs.no-files #icon-list-tab-files {display:none;}
.axero-widget-icon-list-with-tabs.no-photos #icon-list-tab-photos {display:none;}
.axero-widget-icon-list-with-tabs.no-videos #icon-list-tab-videos {display:none;}
.axero-widget-icon-list-with-tabs.no-wikis #icon-list-tab-wikis {display:none;}
```

3. Click **Save CSS Overrides**.

How to Use the Template

1. Add or edit a Page Builder page in **Control Panel** > **System** > **Page Builder**.
2. Click the **Layouts** tab and add a layout onto the page.
3. Click the **Widgets** tab.
4. Drag a **Content List** widget onto the page. This template is best used in wider columns - 8 or greater.
5. Edit the Content List widget.
6. Update the widget **Title**.
7. Configure the widget properties.
    - Note: The content in all the tabs is counted when applying the Content List widget's **Total items** setting. You may need to set **Total items** to a larger value in order to get a desired number of content per tab.
8. Click **Template**.
9. Select the **Icon List with Tabs** template.
10. Click **Save Widget**.
11. Click **Publish changes**.
12. Click **Go to page**.

Exclude Content Types

By default, the widget displays all content types. You can exclude content types from the widget. Follow the steps below.

1. Edit the page.
2. Edit the Content List widget.
3. Click the **Advanced** tab.
4. In **Custom CSS class**, add one or several of the classes below. Separate multiple classes by spaces. (e.g. `no-blogs no-videos`)
    - no-articles
    - no-blogs
    - no-cases
    - no-discussions
    - no-events
    - no-files
    - no-ideas
    - no-photos
    - no-videos
    - no-wikis
5. Click **Save Widget**.
6. Click **Publish changes**.