

Zeppelin Header - Content List Compact With Search Template

Version 2

Published 7/8/2021 03:27 PM by [Grace Kamau](#) Last updated 7/8/2021 03:27 PM by [Grace Kamau](#)

The Zeppelin Header - Content List Compact With Search template displays a list of content in a side modal, with a search bar.

Departments ⊗

- Accounting
- Advisory Services
- Advisory Services Administration
- Axero Testing Department
- BackOffice
- Binary Fountain - India
- Binary Fountain Acquisition
- Binary Fountain Acquisition COR
- Binary Fountain Acquisition G&A
- Client Experience
- Client Experience - Admin
- Client Experience - Team 1
- Client Experience - Team 7
- Client Experience - Team 9
- Client Experience Team 3

The template is a built-in template and comes with your Communifire site. Follow the steps below to create the example widget, which provides quick links to the [People Directory](#) for all the departments in your organization.

1. Go to **Control Panel > System > Page Builder > Header**.
2. Set the **Active Header** to **Global Header with Sub Navigation**.
3. Click **Save**.
4. In the list below, edit the "Global Header with Sub Navigation" header.
5. Click **Widgets**.
6. On the "Sub Navigation" Section widget, click the gear icon > **Expand**.
7. Drag a new **Section** widget into the "Sub Navigation" Section widget.
8. On the **Section** widget you added, click the gear icon > **Edit Properties**.
9. Update the **Title** to *Departments*.
10. Click **Template**.
11. Select **Zeppelin Header - Block Item**.
12. Click **Advanced**.
13. Check **Open content in modal**.
14. Click **Save Widget**.
15. Drag a new **Content List** widget into the "Departments" Section widget you configured.
16. On the **Content List** widget, click the gear icon > **Edit Properties**.
17. Update the **Title** to *Departments*.
18. For **Widget Sub Type**, select **Field Options List**.
19. Click **Template**.
20. Select **Zeppelin Header - Content List Compact With Search**.
21. Click **Advanced**.
22. Check **Load list on opening dropdown (requires template that opens)**.
23. Save the widget and page.

Template HTML

Below is the HTML of this template, for your reference.

```
<div id="ContentFilterList({WidgetID})" class="ax-diamond-hover-box ax-diamond-hover-box-spaces({CustomCSSClass})">
  {{if ShowWidgetHeader}}
  <ul class="ax-diamond-hover-box-header">
    <li class="nav-header">
      {{{WidgetTitle}}}
    </li>
    <li class="divider"></li>
  </ul>
  {{/if}}
  <div class="ax-space-menu-filter">
    <input type="text" id="ContentFilter({WidgetID})" class="input-block-level hasPlaceholder" placeholder="{Resources.GlobalSearchWatermarkText}">
  </div>
  <ul class="ax-diamond-hover-box-dropdown ax-diamond-hover-box-dropdown-spaces" id="ScrollContainer({WidgetID})">
    {{each Contents}}
    <li class="">
      <a href="{ContentURL}" class="space-home-link noimage"><span class="anchor-text">{{{Title}}}</span></a>
    </li>
    {{/each}}
  </ul>
  {{{PlaceholderHTML}}}
</div>
{{{ScriptBlock}}}
<script type="text/javascript">
  jQuery(function () {
    jQuery('#ContentFilterList({WidgetID}').on('keypress', 'input', function(event) {
      if (event.keyCode == 13) {
        event.preventDefault();
      }
    });

    jQuery('#ContentFilterList({WidgetID}').find('li').on('click', function(e) {
      jQuery('#SpaceList({WidgetID}').hide();
      jQuery(this).closest('.sidebar-modal').modal('hide');
    });

    jQuery('#ContentFilter({WidgetID}').keyup(function () {
      var me = jQuery(this);
      var filter = me.val(), count = 0;
      jQuery('#ContentFilterList({WidgetID}').find('.ax-diamond-hover-box-dropdown-spaces li').each(function () {
        if (jQuery(this).text().search(new RegExp(filter, "i")) < 0) {
          jQuery(this).addClass("hidden");
        } else {
          jQuery(this).removeClass("hidden");
          count++;
        }
      });
    });
  });
</script>
```

